L Number	Hits	Search Text	DB	Time stamp
63	20	(((606/191,198,200).CCLS.) not	USPAT;	2003/03/20
64		((606/151,157,158).CCLS.)) and coil and	US-PGPUB;	09:47
		(vaso\$1occlusive occlusion occlusive	EPO; JPO;	
		aneurysm) and amplitude	DERWENT;	
	7	//COC/151 157 150\ GGTG \111	IBM_TDB	2002/02/00
64	,	((606/151,157,158).CCLS.) and coil and amplitude	USPAT; US-PGPUB;	2003/03/20
		ampircade	EPO; JPO;	09:42
1			DERWENT;	
]			IBM TDB	
65	0	((606/113).CCLS.) and coil and amplitude	USPAT;	2003/03/20
			US-PGPUB;	09:42
			EPO; JPO;	
			DERWENT;	
	485	amplitude and coil and (vaso\$locclusive	IBM_TDB USPAT;	2003/03/20
	403	occlusion occlusive aneurysm)	US-PGPUB;	09:44
		oodiabion oodiabio andarjom,	EPO; JPO;	03.11
			DERWENT;	
			IBM_TDB	
67	116	amplitude same coil and (vaso\$locclusive	USPAT;	2003/03/20
		occlusion occlusive aneurysm)	US-PGPUB;	09:44
			EPO; JPO;	
			DERWENT;	
68	284	(((606/191,198,200).CCLS.) not	IBM_TDB USPAT;	2003/03/20
"	201	((606/151,157,158).CCLS.)) and coil same	US-PGPUB;	10:46
		(diameter height) and (vaso\$locclusive	EPO; JPO;	
		occlusion occlusive aneurysm)	DERWENT;	
			IBM_TDB	
99	2	("4994069").PN.	USPAT;	2003/03/20
			US-PGPUB;	10:20
			EPO; JPO;	
			DERWENT; IBM TDB	
108	172	(((606/191,198,200).CCLS.) not	USPAT;	2003/03/20
		((606/151,157,158).CCLS.)) and coil same	US-PGPUB;	10:56
		(diameter same length) and	EPO; JPO;	
		(vaso\$locclusive occlusion occlusive	DERWENT;	
		aneurysm)	IBM_TDB	
117	2	("6136015").PN.	USPAT;	2003/03/20
			US-PGPUB;	10:57
			EPO; JPO;	
	ĺ		DERWENT; IBM TDB	
L		<u></u>	I TOLL TOD	.l